Receiving Report

[Date: 12-	7-8	<u></u>	Batch	No:	347 2	,
\$	Supplier: MQ	fau	14,005	Dart	P/0: 17	320;	
Packing Slip: Invoice: Receipt: Discrepancie	Yes Cash	No _ Cr _C	W SI	elease Note A /aybill Attache hipment Com C6 Inspection /ork Order	ed: Ye Ye plete: Ye	es No es No o o o o	
Part Number	Descript	ion	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
							29-
				- 1			
			111				
			Initials	of receiver	(if shipment	OK) Level	12
Production/A Date Received/Co Initial	1)-	7-l	8			Locati	on

Purchase Order Receipt Listing

Wednesday, July 18, 2012 7:29:28 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO17332 Receipt Dates from 7/18/2012 to 7/18/2012 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

	G			VendorID\Vendor Name PO17332 1 CAD No	Purchase Order ID/ Curr Type
		S	2	dor Nam 1 No	Line Nbr/ Insp Req
					Project ID
	122425	9 4130 RD Tube .750 x.049W	M4130NT0.750W.04 f	VC-MET002 Metaux So M304TS0.750W.049 f 304 SQ Tube f .75x.75x.049W 122425	Reference/ Description/ Cert Std
		2.750 f	50W.04 f	Metaux Solutions 10W.049 f f f	PO U/M / Stock U/M
		40.000	7/10/2012	7/10/2012 300.0000	Required Date Required Oty
	er de,	40.0000 DESJ02	7/18/2012	7/18/2012 DESJ02	Recv Date/ Recv r/mp
		Sh	40.0000	300.0000	Recv Qty (PO U/M)
To	Total	\$478.87	\$11.97	\$3.73 \$1,118.68	Cost Per Unit/ Recv Value
Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity:	Total Received Quantity: Total Qty to Inspect (PO U/M):	0.0000	0.0000	0.0000	Inspected Qty/ Rejected Qty (PO U/M)
Quantity: of Value: Quantity:)uantity: O U/M):	0	0		MRB Qty/ MRB Reject Qty
0.0000 \$1,597.55 0.0000	340.0000 0.0000		\$478.87	\$1,118.68	Book Amt

Shipping Order

09/07/2012

MÉTAUX SOLUTIONS INC 1320, VOLTA BOUCHERVILLE, QC

J4B 6G6

Tel.: 450 641-3330

· Customer: 6323336

DART AEROSPACE LTD 1270. ABERDEEN STREET HAWKESBURY, ONTARIO

Order Reference : 79563

Ship

: 17332 . PICK UP / PICK UP

Ship To

Same

Tel: 1 613 632-3336

K6A 1K7				14	L. 1013032-3	JJ4	
Item No.	Description			Qty	Qty. Delives	B/O Qty	- -
SSQT34340494	304 SQ TUBE .75 15 X 20" *****	0 X .049 WALL		300	300	3	
DT3404930	HT; \(\bar{3} 8 \tau \) 4130N TUBE .750 2 X 20" ****	X .049	da ,	. 40	40	<u>a</u>	·
	HT; 5592	39		 ·			
				Ŧ			
	SHIP TST COLLEG	ст					
	JP			,i		<	6
	*			· ·		\sim	
					1 Colonial	É	
			20251	-5			
	4		<i>-</i>				

•		5 1 565			
Skipping	4		_ R	d: :	
Package No	<i>i</i>		-		
Merchandire E	leceived:		N.		AND THE RESERVE OF THE PERSON


420-335-8236

ETIFICATE OF TEST RTIFICAT D'ESAIS

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

20252-J PART NUMBER/NUMÉRO DE PIÈCE

Page 01 of 02 Certification Date 16-JUL-2012



100182

SOLD TO:

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À: METAUX SOLUTIONS

(RIVE-SUD)

VENDU À:

2625 BOUL JACQUES CARTIER EST LONGUEUIL QC J4N 1L7

1320C VOLTA BOUCHERVILLE

QC J4B 6

Description: 4130 CDS TUBING AMS T 6736 COND N; .750 OD X .049 W (.652 ID) X 17/24' R/L Line Total: 45

HEAT: 559239

TTEM: 100182

Specifications: AMS T 6736 B AMS 6371 J

FAR 52.225-5 AMS 2640J

ISO 9001:2000

MIL T 6736 B FAR 52.225-1

ASTM A450 ASTM E1444

TS 16949:2002

AMS 6360 L

DFARS 252,225-7001

ASTM E112 AMS 2301

CHEMICAL ANALYSIS

______ SI P MN

0.002 0.008

0.26

AL 0.041 0.89

0.18

0.54 0.30 TI SN CU V NI PB 0.002 0.012 0.003 0.001 0.13 0.07

RCPT: R240606

COUNTRY OF ORIGIN : GERMANY

MECHANICAL PROPERTIES

PSI DESCRIPTION

YLD STR ULT TEN %ELONG %RED HARDNESS PSI 106777.0 112313.0

IN 02 IN 17.0

IN AREA

RB 98

GRAIN SIZE :9 -

or working

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of faise, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. ./Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

72:27 73:27 420-335-8236

CERTIFICATE OF TEST CERTIFICAT D'ESAIS

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

20252-J PART NUMBER/NUMÉRO DE PIÈCE

Page 02 of 02

Certification Date 16-JIII-2012



Invoice Number T306419

100182

SOLD TO:

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À: METAUX SOLUTIONS

(RIVE-SUD)

VENDÜ À:

2625 BOUL JACQUES CARTIER EST LONGUEUIL QC J4N 1L7

1320C VOLTA BOUCHERVILLE

QC J4B 6

Description:

Description: 4130 CDS TUBING AMS T 6736 COND N; .750 OD X .049 W (.652 ID) X 17/24' R/L L

HEAT: 559239

ITEM: 100182

Line Total: 45

MATERIAL IS FREE FROM MERCURY CONTAMINATION EDDY CURRENT/MAGNETIC TEST PERFORMED

DECARB: OK AMS NO :2301 SEVERITY :0.034 FREQUENCY: 0.049

COMMENTS

YIELD @ .2% OFFSET NAFTA COMPLIANT

12/07/19

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. Ales informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des specifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert parce rapport rencontre les spécifications décrites ci-hant.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession/Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

PHOENIX TUBE COMPANY, INC.

Manufacturer of Stainless Ornamental and Structural Tubing

CERTIFICATION OF TEST

Sold To: -

Ship To:

Phone# 5492603

ORDER#: 278785

GRADE: 304L

HEAT#: 88T1

TEST REPORT#: TR010334

QTY SHIPPED: 600.0

CUSTOMER ORDER#: C83891

CUST REF NBR:

DATE SHIPPED: 06/12/12

SIZE: 3/4RD X 18 GA AW

SOURCE: USA D

VENDOR: NAS

Specification: ASTM A554-11

ASTM-A 240 LATEST REVISION ASTM A554 2003 SUPERSEDED

DFARS 252.225.7009/7014

MFG USING ANNEALED, AND SHOWS NO

MATERIAL IS FULL SOLUTION COMPLIANT

T304L/304 DUAL CERTIFIED

NO WELD REPAIR

ANNEALED AND PICKLED

RAW MATERIAL SPEC.

CONTINUOUS CARBIDE

Ext:

WELD:

TIG

Report Date: 04/16/12

EN 10204 2.2

NACE MR0176/01

PLATE, SHEET OR STRIP **PRECIPITATION**

12/07/19

MERCURY IS NOT USED BY US AS AN ALLOYING MATERIAL NOR IS METALLIC MERCURY HANDLED IN THE VINCITY OF OUR PROCESSING LINES. WE ARE NOT PRESENTLY AWARE OF ANY MERCURY CONTAMINATION.

Chemical Analysis

	С	MN	P	s	31	CR	NI	MO	CU	CO	N2	Ti
_	017	1.74	.034	.018	.21	18.28	8.02	.31	.45	0	.09	0

Physical Analysis

41	YI	ELD	TEN:	SILE	OTHER		
Hardness	PSI	MPA	PSI	MPA Percent EL		Percent RA	
RB 87	51720	0	97060	0	44	0	

THE CHEMICAL ANALYSES ARE CORRECT AS CONTAINED IN OUR CORPORATE RECORDS. PHYSICAL PROPERTIES ARE DETERMINED WHILE MATERIAL IS IN STRIP FORM.

Melted & Manufactured in the USA FAR BAA complies, DFARS BAA complies, FAR TAA complies

CERTIFIED BY:

1185 WIN DR ,BETHLEHEM, PA., 18017 - (610) 865-5337

FAX NUMBER: 610-865-4073



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO17332

Purchase Order Date 6/29/12 PO Print Date 6/29/12

Page Number 1 of 1

Order From:

VC-MET002

METAUX SOLUTIONS

2625 BOUL JACQUES-CARTHER EST LONGUEUIL, QC J4N 1L7

CA

Contact Name

Vendor Phone

800 558 8858

Vendor Fax

514 633 8044

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency

CAD

FOB

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Lin	e Nbr Reference Revision ID	Description/ Mfg ID	Req Date/ Taxable Ui	Req Qty/ nit of Measure	Ship Method	Unit Price	Extended Price
	Vendor Part Number			1			
1	M304TS0.750W.049	304 SQ Tube .75x.75x.049W	7/10/12	300.00	TST ground	\$3.8000	\$1,140.00
		:	Yes	f			
			1				

Special Inst:

Special Inst:

MATERIAL; AISI 3014/316 SEAMLESS

STAINLESS STEEL SQUARE TUBING AS PER ASTM A554 MILL FINISH OR

ASTM A269 MILL FINISH

M4130NT0.750W.049

4130 RD Tube .750

x.049W

7/10/12

Yes

0.00 TST ground

\$12.2000

\$488.00

MATERIAL: AISI 4130N STEEL TUBING

AS PER

MIL-T-6736 OR AMS 6371/6360/6361/6362

6373/6374

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

PO Total:

\$1,628.00

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required - (YES

Change Nbr:

hange Date:

6/29/12